
Bibliography

- [1] Cole, J.D. *Perturbation Methods in Applied Mathematics*. Blaisdell Publishing Company, Waltham, Massachusetts, 1968.
- [2] Von Dyke, M. *Perturbation Methods in Fluid Mechanics*. The Parabolic Press, Stanford, California, 1975.
- [3] Nayfeh, A.H. *Introduction to Perturbation Techniques*. John Wiley & Sons, New York, 1981.
- [4] Nayfeh, A.H. *Problems in Perturbation*. John Wiley & Sons, New York, 1985.
- [5] Grasman, J. *Asymptotic Methods for Relaxation Oscillations and Applications*, volume 63 of *Applied Mathematical Sciences*. Springer-Verlag, New York, 1987.
- [6] Lagerstrom, P.A. *Matched Asymptotic Expansions: Ideas and Techniques*, volume 76 of *Applied Mathematical Sciences*. Springer-Verlag, New York, 1988.
- [7] Hinch, E.J. *Perturbation Methods*. Cambridge Texts in Applied Mathematics. Cambridge University Press, Cambridge, 1991.
- [8] Murdock, J.A. *Perturbations: Theory and Methods*. John Wiley & Sons, New York, 1991.
- [9] Bush, A.W. *Perturbation Methods For Engineers and Scientists*. CRC Press Library of Engineering Mathematics. CRC Press, Boca Raton, Florida, 1992.
- [10] Kevorkian, J. and Cole, J.D. *Multiple Scales and Singular Perturbation Methods*, volume 114 of *Applied Mathematical Sciences*. Springer-Verlag, New York, 1995.
- [11] Kahn, P.B. and Zarmi, Y. *Nonlinear Dynamics: Exploration through Normal Forms*. John Wiley & Sons., Inc., New York, 1998.
- [12] Nayfeh, A.H. *Perturbation Methods*. John Wiley & Sons, New York, 2000.
- [13] Dai, S.Q. et al. Top 10 progress of theoretical and applied mechanics in the 20th century. *Advances in Mechanics*, 31(3):322–326, 2001. (in Chinese).

- [14] Stokes, G.G. *Cambridge Philos.*, 9:8, 1851.
- [15] Oseen, C.W. Über die Stokessche Formel und die verwandte Aufgabe in der Hydrodynamik. *Arkiv. Mat. Astron. Physik.*, 6, 1910.
- [16] Goldstein, S. Concerning some solutions of the boundary layer equations in hydrodynamics. *Proc. Cambridge Philos. Soc.*, 26, 1929.
- [17] Whitehead, N. *Quart. J. Math.*, 23:143, 1889.
- [18] Proudman and Pearson, J.R. Expansion at small Reynolds number for the flow past a sphere and a circular cylinder. *J. of Fluid Mechanics*, 2:237–262, 1957.
- [19] Chester, W. and Breach, D.R. On the flow past a sphere at low Reynolds number. *J. Fluid Mechanics*, 37:751–760, 1969.
- [20] White, F.M. *Viscous Fluid Flow*. McGraw-Hill, New York, 1991.
- [21] Lyapunov, A.M. (1892). *General problem on stability of motion*. Taylor & Francis, London, 1992. (English translation).
- [22] Karmishin, A.V., Zhukov, A.T., and Kolosov, V.G. *Methods of dynamics calculation and testing for thin-walled structures*. Mashinostroyeniye, Moscow, 1990. (in Russian).
- [23] Adomian, G. Nonlinear stochastic differential equations. *J. Math. Anal. and Applic.*, 55:441–452, 1976.
- [24] Adomian, G. and Adomian, G.E. A global method for solution of complex systems. *Math. Model.*, 5:521–568, 1984.
- [25] Adomian, G. *Solving Frontier Problems of Physics: The Decomposition Method*. Kluwer Academic Publishers, Boston and London, 1994.
- [26] Liao, S.J. *The proposed homotopy analysis technique for the solution of nonlinear problems*. PhD thesis, Shanghai Jiao Tong University, 1992.
- [27] Liao, S.J. A kind of linearity-invariance under homotopy and some simple applications of it in mechanics. Technical Report 520, Institute of Shipbuilding, University of Hamburg, Jan. 1992.
- [28] Liao, S.J. A kind of approximate solution technique which does not depend upon small parameters (II): an application in fluid mechanics. *Int. J. of Non-Linear Mech.*, 32:815–822, 1997. (reprinted with permission from Elsevier).
- [29] Liao, S.J. An explicit, totally analytic approximation of Blasius viscous flow problems. *Int. J. of Non-Linear Mech.*, 34(4):759–778, 1999. (reprinted with permission from Elsevier).
- [30] Liao, S.J. A new analytic algorithm of Lane-Emden equation. *Applied Mathematics and Computation*, 142(1):1–16, 2003.

- [31] Hilton, P.J. *An introduction to homotopy theory*. Cambridge University Press, 1953.
- [32] Sen, S. *Topology and geometry for physicists*. Academic Press, Florida, 1983.
- [33] Grigolyuk, E.I. and Shalashilin, V.I. *Problems of Nonlinear Deformation: The Continuation Method Applied to Nonlinear Problems in Solid Mechanics*. Kluwer Academic Publishers, Dordrecht, Hardbound, 1991.
- [34] Alexander, J.C. and Yorke, J.A. The homotopy continuation method: numerically implementable topological procedures. *Trans Am Math Soc*, 242:271–284, 1978.
- [35] Liao, S.J. A second-order approximate analytical solution of a simple pendulum by the process analysis method. *J. Appl. Mech.*, 59:970–975, 1992.
- [36] Liao, S.J. A kind of approximate solution technique which does not depend upon small parameters: a special example. *Int. J. of Non-Linear Mech.*, 30:371–380, 1995.
- [37] Liao, S.J. and Chwang, A.T. Application of homotopy analysis method in nonlinear oscillations. *ASME J. of Appl. Mech.*, 65:914–922, 1998.
- [38] Liao, S.J. An analytic approximate technique for free oscillations of positively damped systems with algebraically decaying amplitude. *Int. J. Non-Linear Mech.*, 38(8):1173–1183, 2003.
- [39] Liao, S.J. An analytic approximate approach for free oscillations of self-excited systems. *Int. J. Non-Linear Mech.*, 39(2):271–280, 2004.
- [40] Liao, S.J. A uniformly valid analytic solution of 2D viscous flow past a semi-infinite flat plate. *J. of Fluid Mech.*, 385:101–128, 1999. Cambridge University Press Copyright ©1999 Cambridge University Press, reprinted with permission.
- [41] Liao, S.J. An analytic approximation of the drag coefficient for the viscous flow past a sphere. *Int. J. of Non-Linear Mech.*, 37:1–18, 2002. (reprinted with permission from Elsevier).
- [42] Liao, S.J. On the homotopy analysis method for nonlinear problems. *Applied Mathematics and Computation*. (in press).
- [43] Yang, C. and Liao, S.J. On the explicit, purely analytic solution of Von Kármán swirling viscous flow. Submitted.
- [44] Liao, S.J. and Campo, A. Analytic solutions of the temperature distribution in Blasius viscous flow problems. *J. of Fluid Mech.*, 453:411–425, 2002.

- [45] Wang, C. et al. On the explicit analytic solution of cheng-chang equation. *Int. J. Heat and Mass Transfer*, 46(10):1855–1860, 2003.
- [46] Ayub, M., Rasheed, A., and Hayat, T. Exact flow of a third grade fluid past a porous plate using homotopy analysis method. *Int. J. Engineering Science*, 41:2091–2109, 2003.
- [47] Hayat, T., Masood Khan, and Ayub, M. On the explicit analytic solutions of an Oldroyd 6-constant fluid. *Int. J. Engineering Science*. (in press).
- [48] Liao, S.J. On the analytic solution of magnetohydrodynamic flows of non-Newtonian fluids over a stretching sheet. *J. of Fluid Mech.*, 488:189–212, 2003.
- [49] Liao, S.J. Application of Process Analysis Method to the solution of 2D nonlinear progressive gravity waves. *J. of Ship Res.*, 36(1):30–37, 1992.
- [50] Liao, S.J. and Cheung, K.F. Homotopy analysis of nonlinear progressive waves in deep water. *Journal of Engineering Mathematics*, 45(2):105–116, 2003. (with kind permission of Kluwer Academic Publishers).
- [51] Liao, S.J. An explicit analytic solution to the Thomas-Fermi equation. *Applied Mathematics and Computation*, 144:495–506, 2003.
- [52] Lindstedt, A. Über die Integration einer für die Störungstheorie wichtigen Differentialgleichung. *Astron, Nach.*, 103:211–220, 1882.
- [53] Bohlin, K.P. Über eine neue Annäherungsmethode in der Störungstheorie. *Akad Handl. Bihang.*, 14, 1889.
- [54] Poincaré, H. (1892). *New Methods of Celestial Mechanics*, volume I-III. NASA TTF-450, 1967. (English translation).
- [55] Glydén, H. Nouvelles recherches sur les séries employées dans les théories des planètes. *Acta Math.*, 9:1–168, 1893.
- [56] Lighthill, M.J. A technique for rendering approximate solutions to physical problems uniformly valid. *Phil. Mag.*, 40:1179–1201, 1949.
- [57] Lighthill, H.J. A technique for rendering approximate solutions to physical problems uniformly valid. *Z. Flugwiss.*, 1:267–275, 1961.
- [58] Malkin, T.G. *Methods of Poincaré and Lyapunov in theory of non-linear oscillations*. Moscow, 1949. (in Russian).
- [59] Kuo, Y.H. On the flow of an incompressible viscous fluid past a flat plate at moderate Reynolds numbers. *J. Math and Phys.*, 32:83–101, 1953.
- [60] Kuo, Y.H. Viscous flow along a flat plate moving at high supersonic speeds. *J. Aeron. Sci.*, 23:125–136, 1956.

- [61] Tsien, H.S. The Poincaré-Lighthill-Kuo method. *Advan. Appl. Mech.*, 4:281–349, 1956.
- [62] Newton, I. *On the Binomial Theorem For Fractional and Negative Exponents (A Source Book in Mathematics, Edited by Walcott, G. D.)*. McGraw Hill Book Company, New York and London, 1929.
- [63] Rach, R. On the Adomian method and comparisons with Picard's method. *J. Math. Anal. and Applic.*, 10:139–159, 1984.
- [64] Rach, R. A convenient computational form for the A_n polynomials. *J. Math. Anal. and Applic.*, 102:415–419, 1984.
- [65] Adomian, G. and Rach, R. On the solution of algebraic equations by the decomposition method. *Math. Anal. Appl.*, 105(1):141–166, 1985.
- [66] Cherruault, Y. Convergence of Adomian's method. *Kybernetes*, 8(2):31–38, 1988.
- [67] Adomian, G. A review of the decomposition method and some recent results for nonlinear equations. *Comp. and Math. with Applic.*, 21:101–127, 1991.
- [68] Abbaoui, K. and Cherruault, Y. Convergence of Adomian's method applied to nonlinear equations. *Math. Compact. Model.*, 20(9):69–73, 1994.
- [69] Khuri, S.A. A new approach to the cubic Schrodinger equation: An application of the decomposition technique. *Applied Mathematics and Computation*, 97:251–254, 1998.
- [70] Michael, G. A note on the decomposition method for operator equations. *Applied Mathematics and Computation*, 106:215–220, 1999.
- [71] Wazwaz, A.M. The decomposition method applied to systems of partial differential equations and to the reaction-diffusion Brusselator model. *Applied Mathematica and Computation*, 110:251–264, 2000.
- [72] Wazwaz, A.M. A new algorithm for solving differential equations of Lane-Emden type. *Applied Mathematics and Computation*, 118:287–310, 2001.
- [73] Babolian, E. and Biazar, J. Solving the problem of biological species living together by Adomian decomposition method. *Applied Mathematica and Computation*, 129:339–343, 2001.
- [74] Ramos, J.I. and Soler, E. Domain decomposition techniques for reaction-diffusion equations in two-dimensional regions with re-entrant corners. *Applied Mathematics and Computation*, 118:189–221, 2001.
- [75] Babolian, E. and Biazar, J. On the order of convergence of Adomian method. *Applied Mathematics and Computation*, 130:383–387, 2002.

- [76] Babolian, E. and Biazar, J. Solution of nonlinear equations by modified Adomian decomposition method. *Applied Mathematics and Computation*, 132:167–172, 2002.
- [77] Shawagfeh, N.T. Analytical approximate solutions for nonlinear fractional differential equations. *Applied Mathematica and Computation*, 131:517–529, 2002.
- [78] Casasús L. and Al-Hayani, W. The decomposition method for ordinary differential equations with discontinuities. *Applied Mathematics and Computation*, 131:245–251, 2002.
- [79] Wazwaz, A.M. Exact solutions for variable coefficients fourth-order parabolic partial differential equations in higher-dimensional spaces. *Applied Mathematics and Computation*, 130:415–424, 2002.
- [80] Huang, R.E. et al. The empirical mode decomposition and the Hilbert spectrum for nonlinear and non-stationary time series analysis. *Proc. R. Soc. Lond. A*, 454:903–995, 1998.
- [81] Fermi, E. Un metodo statistico par la determinzione di alcune Proprietá dell'atome. *Rend. Accad. Naz. del Lincei, Cl. Sci. Fis., Mat. e Nat.*, 6:602–607, 1927.
- [82] Thomas, L.H. The calculation of atomic fields. *Proc. Cambridge Philos. Soc.*, 23:542–548, 1927.
- [83] Bush, V. and Caldwell, S.H. Thomas-Fermi equation solution by the differential analyzer. *Phys. Rev.*, 38:1898–1901, 1931.
- [84] Burrows, B.L. and Core, P.W. A variational iterative approximate solution of the Thomas-Fermi equation. *Quart. Appl. Math.*, 42:73–76, 1984.
- [85] Milton, K.A., Bender, C.M., and Pinsky, S.S. A new perturbation approach to nonlinear problems. *J. Math. Phys.*, 30(7):1447–1450, 1989.
- [86] Laurenzi, B.J. An analytic solution to the Thomas-Fermi equation. *J. Math. Phys.*, 31(10):2535–2537, 1990.
- [87] Cedillo, A. A perturbative approach of the Thomas-Fermi equation in terms of the density. *J. Math. Phys.*, 34:2713, 1993.
- [88] Chan, C.Y. and Hon, Y.C. A constructive solution for a generalized Thomas-Fermi theory of ionized atoms. *Quart. Appl. Math.*, 45:591–599, 1987.
- [89] Hon, Y.C. A decomposition method for the Themos-Fermi equation. *SEA Bull. Math.*, 20(3):55–58, 1996.
- [90] Venkatarangan, S.N. and Rajalashmi, K. Modification of Adomian's decomposition method to solve equation containing radicals. *Comput. Math. Appl.*, 29(6):75–80, 1995.

- [91] Wazwaz, A.M. The modified decomposition method and the Padé approximants for solving Thomas-Fermi equation. *Mathematics and Computation*, 105:11–19, 1999.
- [92] Luning, C.D. and Perry, W.L. An iterative technique for solution of the Thomas-Fermi equation utilizing a non-linear eigenvalue problem. *Quarterly of Applied Mathematics*, 35:257–268, 1977.
- [93] Wu, M.S. Modified variational solution of the Thomas-Fermi equation for atoms. *Phys. Rev. A*, 26(1):57–61, 1982.
- [94] Civan, F. and Sliepcevich, C.M. On the solution of the Thomas-Fermi equation by differential quadrature. *J. Comput. Phys.*, 56:343–348, 1984.
- [95] Chan, C.Y. and Du, S.W. A constructive method for the Thomas-Fermi equation. *Quarterly of Applied Mathematics*, 44:303–307, 1986.
- [96] Allan, M. Chebyshev series solution of the Thomas-Fermi equation. *Comp. Phys. Comm.*, 67:389–391, 1992.
- [97] Pert, G.J. Approximations for the rapid evaluation of the Thomas-Fermi equation. *J. Phys. B*, 32(6):5067–5082, 1999.
- [98] Kobayashi et al. Some coefficients of the TFD function. *J. Phys. Soc. Japan*, 10:759–765, 1955.
- [99] Scudo, F.M. Vito Volterra and theoretical ecology. *Theoret. Population Biol.*, 2:1–23, 1971.
- [100] Small, R.D. *Mathematical Modelling: Classroom Notes in Applied Mathematics*. SIAM, Philadelphia, PA, 1989.
- [101] TeBeest, K.G. Numerical and analytical solutions of Volterra’s population model. *SIAM Rev.*, 39(3):484–493, 1997.
- [102] Wazwaz, A.M. Analytical approximations and Padé approximations for Volterra’s population model. *Applied Mathematics and Computation*, 100:13–25, 1999.
- [103] Kahn, P.B. and Zarmi, Y. *Nonlinear Dynamics: Exploration through Normal Forms*. John Wiley & Sons, Int., New York, 1997.
- [104] Blasius, H. Grenzschichten in Flüssigkeiten mit kleiner Reibung. *Z. Math. Phys.*, 56:1–37, 1908.
- [105] Howarth, L. On the solution of the laminar boundary layer equations. *Proc. Roy. Soc. London A*, 164:547–579, 1938.
- [106] Falkner, V.M. and Skan, S.W. Some approximate solutions of the boundary layer equations. *Phil. Mag.*, 12:865–896, 1931.

- [107] Hartree, D.R. On an equation occurring in Falker-Skan's approximate treatment of the equations of the boundary layer. *Proc. Camb. Phil. Soc.*, 33:223–239, 1937.
- [108] Stewartson, K. Further solutions of the Falkner-Skan equation. *Proc. Camb. Phil. Soc.*, 50:454–465, 1954.
- [109] Libby, P.A. and Liu, T.M. Further solutions of the Falkner-Skan equation. *AIAA Journal*, 5:1040–1042, 1967.
- [110] Kuiken, H.K. On boundary layers in fluid mechanics that decay algebraically along stretches of wall that are not vanishingly small. *Q. J. Mech. Appl. Math.*, 27:387–405, 1981.
- [111] Kuiken, H.K. A backward free-convective boundary layer. *IMA Journal of Applied Mathematics*, 34:397–413, 1981.
- [112] Von Kármán, T. Über laminare und turbulente Reibung. *ZAMM*, 1:233–252, 1921.
- [113] Zandbergen, P.J. and Dijkstra, D. Von Kármán swirling flows. *Ann. Rev. Fluid Mech.*, 19:465–491, 1987.
- [114] Cochran, W.G. The flow due to a rotating disk. *Proc. Camb. Phil. Soc.*, 30:365–375, 1934.
- [115] Hettis, H.E. On the integration of a class of differential equations occurring in boundary layer and other hydrodynamic problems. In *Proc. 4th Midwestern Conf. on Fluid Mech.*, Purdue, 1955.
- [116] Rogers, M.H. and Lance, G.N. The rotationally symmetric flow of a viscous fluid in the presence of an infinite rotating disk. *J. Fluid Mech.*, 7:617–631, 1960.
- [117] Benton, E.R. On the flow due to a rotating disk. *J. Fluid Mech.*, 24(4):781–800, 1966.
- [118] McLeod, J.B. Von Kármán's swirling flow problem. *Arch. Ration. Mech. Anal.*, 33:91–102, 1969.
- [119] Zandbergen, P.J. and Dijkstra, D. Non-unique solutions of the Navier-Stokes equations for the Kármán swirling flow. *Journal of Engineering Mathematics*, 11:167–188, 1977.
- [120] Ackroyd, J.A.D. On the steady flow produced by a rotating disc either surface suction or injection. *J. Eng. Math.*, 12:207–220, 1978.
- [121] Hulzen, V. Computational problems in producing Taylor coefficients for the rotating disk problem. *Sigsam Bull. ACM*, 14:36–49, 1980.
- [122] Stokes, G.G. On the theory of oscillation waves. *Trans. Cambridge Phil. Soc.*, 8:441–455, 1849.

- [123] Stokes, G.G. Supplement to a paper on the theory of oscillation waves. *Mathematical and Physical papers*, 1:314–326, 1880.
- [124] Stokes, G.G. On the highest waves of uniform propagation. *Proc. of Cambridge Phil. Soc.*, 4:361–365, 1883.
- [125] Korteweg, D.J. and de Vries, G. On the change of form of long waves advancing in a rectangular canal and on a new type of long stationary waves. *Phil. Mag.*, 39:422–443, 1895.
- [126] Wehausen, J.V. and Laitone, E.V. *Handbush der Physik*, volume 9. Springer-Verlag, Berlin, 1960.
- [127] Chiang, C.M. The nonlinear evolution of stokes waves in deep water. *J. of Fluid Mech.*, 47:337–352, 1971.
- [128] Schwartz, L.W. Computer extension and analytic continuation of Stokes' expansion for gravity waves. *J. of Fluid Mech.*, 62(3):553–578, 1974.
- [129] Longuet-Higgins, M.S. Integral properties of periodic gravity waves of finite amplitudes. *Proc. R. Soc. Lond.*, 342:157–174, 1975.
- [130] Longuet-Higgins, M.S. The instability of gravity of finite amplitude in deep water (1): superharmonics. *Proc. R. Soc. Lond. A*, 360:471–488, 1978.
- [131] Longuet-Higgins, M.S. The instability of gravity of finite amplitude in deep water (2): subharmonics. *Proc. R. Soc. Lond. A*, 360:489–505, 1978.
- [132] Chen, B. and Saffman, P.G. Numerical evidence for the existence of new types of gravity waves of permanent form on deep water. *Studies in Appl. Math.*, 62:1–21, 1980.
- [133] Cokelet, E.D. Steep gravity waves in water of arbitrary uniform depth. *Phil. Trans. R. Soc. Lond. A*, 286:183–230, 1977.
- [134] Longuet-Higgins, M.S. and Cokelet, E.D. The deformation of steep surface waves on water (I): a numerical method of computation. *Proc. R. Soc. Lond. A*, 350:1–26, 1976.
- [135] Longuet-Higgins, M.S. and Cokelet, E.D. The deformation of steep surface waves on water (II): growth of normal mode instabilities. *Proc. R. Soc. Lond. A*, 364:1–28, 1978.
- [136] Longuet-Higgins, M.S. and Fox, M.J.H. Theory of the almost-highest wave (Part 2): Matching and analytic extension. *J. Fluid Mech.*, 85:769–786, 1978.